EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° **0075/685/161/02/19/0546**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **ITURRI S.A.**
Av. Roberto Osborne, 9, 41007 Sevilla Spain
Spain

Description

PPE Type : ***an occupational footwear***

Product reference : **NEW PSH EASY CLEAN WATER O1 SRC**

Article code : **221533**

Construction and material of outsole : **INJECTION / PU OUTSOLE**

Pictures :







Reference standard : **EN ISO 20347 : 2012**

Classification : I **Category : O1 FO SRC**

Size range : 34-47 **Slip resistance : SRC**

Toecap nature : N/A **Insert nature : N/A**

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from FEBRUARY, 2019

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by

Maxence DREVET

Project Certification Manager

Date of first issue : 20 February 2019

End of validity date : 20 February 2024

Original CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

www.ctcgroupe.com
cemarking@ctcgroupe.com
CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com
Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

ITURRI S.A.

MANUFACTURER'S TECHNICAL FILE

Reference of the product :	NEW PSH EASY CLEAN WATER O1 SRC
Article code :	221533
Technical file index :	01
Last update :	FEBRUARY, 2019

IDENTIFICATION

Reference of the product :	NEW PSH EASY CLEAN WATER O1 SRC
Article Code :	221533
Basic model	
Technical file index :	01
Last update :	FEBRUARY, 2019

Manufacturer :

ITURRI S.A.

Av. Roberto Osborne, 9, 41007 Sevilla Spain

Spain

tel : +34 626 376 779

fax :

Factory :

WENDENG TONGTAI

FUPING INDUSTRIAL, DISTRICT,MISHAN TOWN,WENDENG CITY

CHINA

Tel : +86 0532 66711019

Fax : +86 0532 66711029

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : S921

Range of sizes :

34-47

Construction and material of outsole :

INJECTION / PU OUTSOLE

Field of use

DIY WORK SHOP

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☑	☑	Standard
			☑	Instruction for use
			☑	Marking
§1.4	Manufacturer's instructions and information is available	☑	☐	Standard
			☑	Instruction for use
			☐	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☑	☑	Standard
			☑	Instruction for use
			☐	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☑	☑	Standard
			☑	Instruction for use
			☑	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	☑	☑	Standard
			☑	Instruction for use
			☑	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	☑	☑	Standard
			☑	Instruction for use
			☐	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☑	☑	Standard
			☑	Instruction for use
			☑	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	☑	☑	Standard
			☑	Instruction for use
			☑	Marking
§3.3	The PPE is intended to protect against mechanical injuries	☑	☑	Standard
			☑	Instruction for use
			☑	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	HIN-U1	MICRO-FIBER WITH PERFORATED	WHITE
	HIN-U2	MICRO-FIBER	WHITE
COLLAR	HIN-U2	MICRO-FIBER	WHITE
TONGUE	HIN-U1	MICRO-FIBER WITH PERFORATED	WHITE
VAMP LINING	HIN-L1	NON-WOVEN FABRIC	WHITE
QUARTER LINING	HIN-L2	SANDWICH MESH(quarter & seat region lining)	GREY
INSOCK	HIN-ISCK-A	"-"CAMBELLE+EVA WITH MICRO PERFORATED	GREY/WHITE
OUTSOLE	S921	CARMEN PU OUTSOLE	WHITE
INSOLE	H-S02	NON-WOVEN INSOLE	BLACK
DECORATIVE ELEMENTS		VELCRO	WHITE

PROTECTION SCOPE

Basic requirements :

This product has been designed to be an occupationnal footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20347 : 2012 : Personal protective equipement - Occupational footwear

It is a category II product

Requirement of the standard EN ISO 20347 : 2012 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20347 : 2012 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance

MARKING - PACKAGING

Information printed on the footwear :

* Logo of the authorized representative
* Logo CE
* Manufacturer's type designation
* Postal address of manufacturer
* Footwear's reference NEW PSH EASY CLEAN WATER O1 SRC
* Article code 221533
* Size
* Year of manufacture and at least quarter
* The number and year of the Standard used
* The symbol(s) of the additional requirements

Marking example :



Method of marking on the footwear :

Stitching on inside tongue

Packaging :

one pair/box;7 pairs/carton

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References
CTC	D130708682_1
CTC	D130910604_1
CTC	D131013031_2
CTC	D131113659_1
CTC	D180404880_1
CTC	D180406017_1
CTC	D180509067_1
CTC	D190101406_2

MEANS OF CONTROL

1.To control the quality of raw materials follow the methods below:
We asked our suppliers to test their upper leather for Cr VI, PH and DMFu by themselves; asked lining suppliers to check tear strength, especially abrasion resistance ...after all raw material can reach relevant requirement, we will accept them and use in mass production.
2. During development, we will take some samples to check the main physical properties, such as slip resistance, antistatic and so forth, in order that we can control the quality from development and will avoid some additional troubles in the following steps; if the result can meet requirement, we will process forward; otherwise we need pay more attention to development for the better shoes;
3. We control the whole procedure from cutting to package. Every step, relevant QC will check the quality, the semi-finished goods and finished shoes will be discarded if cannot reach requirement of quality. Of course we take some samples from line to test bond strength, ect to confirm the mass production are under control. Finally, before shipment, the QC will perform the final inspection randomly, the shoes will be delivered in case the result is acceptable.
4.Batch test, each batch production, we shall pick up the production at workshop randomly to test upper sole bond strength, slip resistance, ernergy absorbtion etc... as EN ISO20347:2012 requirements.

PPE subject to ageing :

Peremption period : 4 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, …).

Declaration of conformity :

Available on : www.iturri.com/declaration